MEDICAL EVALUATION FOR LEAD EXPOSURE

Name:	Social Security #			
Date of birth:	Male	Female		
Employer:				
Employer's address:				
Contact person:	Phone:			
Address to send results to:				
	Phone:			
Other employer(s) in past year:				
Exposure History				
Description of job				
1 3				
Scrap metal recycling Other possible exposures: Stained glass work Pottery /ceram	noving barriers or coveraping chemic lasting ing spraying standard vacu Foundry work or grinding Plastics manufact Folk medics Folk medics Home rene	vers cal removal power sanding uum HEPA vacuum ture cines ovation		

Protective measures

Respirator: (check those used)			Dust mask (disposable)				
•			Standard canister (negative-pres	sure) respirator			
			Negative-pressure respirator, wi				
			Powered air-purifying respirator				
			Supplied-air respirator				
Have you been fitted for re	espirator	and traine	ed in its uses?	Yes	No		
Have you had any difficul	-			Yes	No		
Do you: eat or drink in the work area?				Yes	No		
smoke in the wor	rk area?			Yes	No		
wash your hands	moking?	Yes	No				
wear your work		Yes	No				
Are facilities available for			rea?	Yes _	No		
	handwas			Yes	No		
	showers	_		Yes	No		
Do you know of others yo	u work w	vith who h	nave had high lead levels?	Yes	No		
Have you had previous lea			<u> </u>	Yes	No		
Dates and results	s, if know	/n:					
Have you needed treatmer	nt for lead	d poisonir	ng before, or removal from lead	Yes	No		
exposure because of a high		•					
Current Symptoms	Y	N	Comments				
Weight loss							
Fatigue							
Poor sleep							
Metallic taste in mouth							
Loss of appetite							
Abdominal pain							
Nausea/vomiting							
Pain in teeth							
Constipation							
Irritability							
Headaches							
Memory problems							
Difficulty concentrating							
Hearing loss							
Numbness or tingling of							
hands or feet							
Joint pain							
Change in sex drive							
(Women) Change in							
menstrual periods							
Other							

Past Medical History

Have you ever had:	V	N	Common	• •		
High blood pressure	Y	N	Commer	its		
Kidney disease					······································	
Anemia/low blood count						
Heart disease						
Asthma						
Emphysema						
Bronchitis						
Gout						
Arthritis						
Head injury						
Depression						
Difficulty conceiving						
a child						
A child with a birth defec						
or learning disability	5 t					
(Women) Miscarriage						
(Women) Wilsearriage						
Social and Family History	<u>ory</u>					
Do any children live in ye	our home?		Yes	No	If yes, ages:	
When was your home bu					<i>J</i> • • • • • • • • • • • • • • • • • • •	_
Is there any lead paint in			Yes	No	Don't know	
Do you smoke cigarettes			Yes _	No	If yes, packs per day	
Has alcohol ever been a p		vou?		No	y, p py	
When was your last drink		-				
, , , , , , , , , , , , , , , , ,						
Physical Examination						
Height Weig	ght	BP	F)		
	Normal	Abno	rmal (Comment		
HEENT	rvormur	7 10110	iiiui (Somment		
(lead line optic disc)						
Heart						
Lungs						
Abdomen						
Cranial nerves						
Motor strength						
(esp wrist extensors)						

Sensory					
(esp distal)					
Coordination					
Affect					
Orientation					
(place, person, time)					
Memory					
(object recall)					
Attention					
(serial 7s)					
Visual-spatial					
(design copying)					
Laboratory tests order	ed:				
Whole blood lead	7.PP				
Hgb Hct					
BUN Creat				_	
Other					
Optional tests: Sperm analysis Pregnancy test Nerve conduction					
Name:	Result	valuation for Less and Recomme o employer and e	endations		
Name:		Date	e of birth:		

	of evaluation:	
	l lead level:	
Any c	ondition detected which	increases risk from exposure to lead? Yes No
Duty :	status:	
	Continued duty	
	Continued duty, but re	view of protective measures
	Medical removal from	lead exposure, with wage protection*
	Medical removal and o	chelation therapy**
Respi	rator use:	
	No restrictions on use	
		commodations:
	Not approved for respi	
Follos	v un:	
Follov		aluation in weeks***
		test in weeks/months****
	_ Tollow up blood lead	World, Months
		Evaluating M.D.
*	Medical removal:	
	General industry:	Blood lead level (confirmed)>= 60 mcg/dl; or average of >= 50 mcg/dl on last 3 tests or all tests over last 6 mos., (whichever is over a longer time period) unless last test < 40 mcg/dl
	Construction:	Blood lead level (confirmed) >= 50 mcg/dl Continue until two consecutive levels =< 40 mcg/dl
**	Chelation:	only if significant signs or symptoms of toxicity
***	Medical evaluation:	annually if blood lead level >= 40 mcg/dl, but medical removal not required unless employee reports signs or symptoms consistent with lead toxicity, desires advice about effects of lead exposure (e.g. reproductive effects), or has difficulty using respirator
****	Next lead test:	Last blood lead level <40 mcg/dl: 6 mos. Last blood lead level >=40 mcg/dl but not requiring medical removal: 2
mos.		Employees on medical removal: 1 month